

ANSI/ASHRAE Addendum *af* to  
ANSI/ASHRAE Standard 62-2001



# ASHRAE<sup>®</sup> STANDARD

## Ventilation for Acceptable Indoor Air Quality

Approved by the ASHRAE Standards Committee on January 25, 2003; by the ASHRAE Board of Directors on January 30, 2003; and by the American National Standards Institute May 27, 2003.

This standard is under continuous maintenance by a Standing Standard Project Committee (SSPC) for which the Standards Committee has established a documented program for regular publication of addenda or revisions, including procedures for timely, documented, consensus action on requests for change to any part of the standard. The change submittal form, instructions, and deadlines may be obtained in electronic form from the ASHRAE web site, <http://www.ashrae.org>, or in paper form from the Manager of Standards. The latest edition of an ASHRAE Standard and printed copies of a public review draft may be purchased from ASHRAE Customer Service, 1791 Tullie Circle, NE, Atlanta, GA 30329-2305. E-mail: [orders@ashrae.org](mailto:orders@ashrae.org). Fax: 404-321-5478. Telephone: 404-636-8400 (worldwide), or toll free 1-800-527-4723 (for orders in U.S. and Canada).

©Copyright 2003 American Society of Heating,  
Refrigerating and Air-Conditioning Engineers, Inc.

ISSN 1041-2336



**AMERICAN SOCIETY OF HEATING,  
REFRIGERATING AND  
AIR-CONDITIONING ENGINEERS, INC.**

1791 Tullie Circle, NE • Atlanta, GA 30329

**ASHRAE Standing Standard Project Committee 62.1**  
**Cognizant TC: 4.3, Ventilation Requirements and Infiltration**  
**SPLS Liaison: Fredrick H. Kohloss**

\*Andrew K. Persily, *Chair*\*  
\*David S. Bulter, Sr., *Vice-Chair*\*  
Leon E. Alevantis  
Michael Beaton  
Lynn G. Bellenger  
Hoy R. Bohanon, Jr.  
Dale J. Cagwin  
James L. Coggins\*  
Elissa Feldman  
Francis J. Fisher, Jr.\*  
Francis Michael Gallo  
Scott Douglas Hanson\*

Roger L. Hedrick  
Thomas P. Houston\*  
Eli P. Howard, III\*  
Ralph T. Joeckel  
Donald G. Koch\*  
Carl A. Marbery\*  
Bernice A. Mattsson\*  
John K. McFarland  
Christopher O. Muller\*  
Guillermo A. Navas  
John E. Osborn\*  
R. Dean Rasmussen\*

Walter L. Raynaud\*  
Robert S. Rushing\*  
Lawrence J. Schoen  
Dennis A. Stanke  
Jan Sundell  
Terry Lee Sutherland  
Wayne Thomann  
James A. Tshudy  
Dilip Y. Vyavaharkar\*  
David R. Warden  
Michael W. Woodford\*

\*Denotes members of voting status when the document was approved for publication

---

**ASHRAE STANDARDS COMMITTEE 2002-2003**

Thomas E. Watson, *Chair*  
Van D. Baxter, *Vice-Chair*  
Charles G. Arnold  
Dean S. Borges  
Paul W. Cabot  
Charles W. Coward, Jr.  
Brian P. Dougherty  
Hakim Elmahdy  
Arthur D. Hallstrom  
Matt R. Hargan  
Richard D. Hermans  
Stephen D. Kennedy

David E. Knebel  
Frederick H. Kohloss  
William J. Landman  
Merle F. McBride  
Ross D. Montgomery  
Cyrus H. Nasser  
Davor Novosel  
Dennis A. Stanke  
Michael H. Tavares  
Steven T. Taylor  
David R. Tree  
Terry E. Townsend, CO  
Maureen Grasso, ExO

Claire B. Ramspeck, *Manager of Standards*

---

**SPECIAL NOTE**

This American National Standard (ANS) is a national voluntary consensus standard developed under the auspices of the American Society of Heating, Refrigerating and Air-Conditioning Engineers (ASHRAE). Consensus is defined by the American National Standards Institute (ANSI), of which ASHRAE is a member and which has approved this standard as an ANS, as "substantial agreement reached by directly and materially affected interest categories. This signifies the concurrence of more than a simple majority, but not necessarily unanimity. Consensus requires that all views and objections be considered, and that an effort be made toward their resolution." Compliance with this standard is voluntary until and unless a legal jurisdiction makes compliance mandatory through legislation.

ASHRAE obtains consensus through participation of its national and international members, associated societies, and public review.

ASHRAE Standards are prepared by a Project Committee appointed specifically for the purpose of writing the Standard. The Project Committee Chair and Vice-Chair must be members of ASHRAE; while other committee members may or may not be ASHRAE members, all must be technically qualified in the subject area of the Standard. Every effort is made to balance the concerned interests on all Project Committees.

The Manager of Standards of ASHRAE should be contacted for:

- a. interpretation of the contents of this Standard,
- b. participation in the next review of the Standard,
- c. offering constructive criticism for improving the Standard,
- d. permission to reprint portions of the Standard.

**DISCLAIMER**

ASHRAE uses its best efforts to promulgate Standards and Guidelines for the benefit of the public in light of available information and accepted industry practices. However, ASHRAE does not guarantee, certify, or assure the safety or performance of any products, components, or systems tested, installed, or operated in accordance with ASHRAE's Standards or Guidelines or that any tests conducted under its Standards or Guidelines will be nonhazardous or free from risk.

**ASHRAE INDUSTRIAL ADVERTISING POLICY ON STANDARDS**

ASHRAE Standards and Guidelines are established to assist industry and the public by offering a uniform method of testing for rating purposes, by suggesting safe practices in designing and installing equipment, by providing proper definitions of this equipment, and by providing other information that may serve to guide the industry. The creation of ASHRAE Standards and Guidelines is determined by the need for them, and conformance to them is completely voluntary.

In referring to this Standard or Guideline and in marking of equipment and in advertising, no claim shall be made, either stated or implied, that the product has been approved by ASHRAE.

**(This foreword is not part of this standard. It is merely informative and does not contain requirements necessary for conformance to the standard. It has not been processed according to the ANSI requirements for a standard and may contain material that has not been subject to public review or a consensus process.)**

## **FOREWORD**

*This addendum implements changes to the “Purpose” and “Scope” of the standard that are contained in the approved target title, purpose, and scope of the standard. These changes address how the standard relates to new and existing buildings, clarifies its coverage of industrial and laboratory spaces, and adds a caveat concerning situations where outdoor air quality may be poor.*

## **ADDENDUM 62af**

***Renumber the current “Purpose” of the standard as Section 1.1 and add the following sections to the current “Purpose” of the standard:***

**1.2** This standard is intended for regulatory application to new buildings, additions to existing buildings, and those changes to existing buildings that are identified in the body of the standard.

**1.3** This standard is intended to be used to guide the improvement of indoor air quality in existing buildings.

***Insert the following sections after the current Section 2.1 of the scope:***

**2.2** Additional requirements for laboratory, industrial, and other spaces may be dictated by workplace and other standards, as well as by the processes occurring within the space.

**2.3** Although the standard may be applied to both new and existing buildings, the provisions of this standard are not intended to be applied retroactively when the standard is used as a mandatory regulation or code.

***Renumber Sections 2.2 and 2.3 of the “Scope” as 2.4 and 2.5, and add the following Section to 2.5:***

- (d) because outdoor air brought into the building may be unacceptable or may not be adequately cleaned.

## **POLICY STATEMENT DEFINING ASHRAE'S CONCERN FOR THE ENVIRONMENTAL IMPACT OF ITS ACTIVITIES**

ASHRAE is concerned with the impact of its members' activities on both the indoor and outdoor environment. ASHRAE's members will strive to minimize any possible deleterious effect on the indoor and outdoor environment of the systems and components in their responsibility while maximizing the beneficial effects these systems provide, consistent with accepted standards and the practical state of the art.

ASHRAE's short-range goal is to ensure that the systems and components within its scope do not impact the indoor and outdoor environment to a greater extent than specified by the standards and guidelines as established by itself and other responsible bodies.

As an ongoing goal, ASHRAE will, through its Standards Committee and extensive technical committee structure, continue to generate up-to-date standards and guidelines where appropriate and adopt, recommend, and promote those new and revised standards developed by other responsible organizations.

Through its *Handbook*, appropriate chapters will contain up-to-date standards and design considerations as the material is systematically revised.

ASHRAE will take the lead with respect to dissemination of environmental information of its primary interest and will seek out and disseminate information from other responsible organizations that is pertinent, as guides to updating standards and guidelines.

The effects of the design and selection of equipment and systems will be considered within the scope of the system's intended use and expected misuse. The disposal of hazardous materials, if any, will also be considered.

ASHRAE's primary concern for environmental impact will be at the site where equipment within ASHRAE's scope operates. However, energy source selection and the possible environmental impact due to the energy source and energy transportation will be considered where possible. Recommendations concerning energy source selection should be made by its members.